

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	423	statistic\$5 near3 switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:44
S2	8	(statistic\$5 near3 switch) with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:08
S3	3939	collect\$3 near3 (count statistical\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 16:09
S4	132	(collect\$3 near3 (count statistical\$2) ) same (LCI switch (line adj card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:01
S5	14	((collect\$3 near3 (count statistical\$2) ) same (LCI switch (line adj card))) same threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 16:18
S6	4642	(line adj card) LCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 16:19
S7	7	((line adj card) LCI) same counter) same threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:06
S8	0	"crandall, stephan".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 16:25
S9	10	"wilford, bruce".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 16:25
S10	2	"Medved, Jan".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 16:26
S11	127	((line adj card) LCI) same counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 16:28
S12	2104	(link connect) near3 count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 16:30

S13	277	((link connect) near3 count) same (interface (line adj card) LCI switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 08:17
S14	1485877	(gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:40
S15	1956	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4) ) with ((above over below under higher lower) near3 threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:42
S16	128	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4) ) with ((above over below under higher lower) near3 threshold)) same (card interface port switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:43
S17	93	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4) ) with ((above over below under higher lower) near3 threshold)) same (card interface port switch)) and (@ad<"20000703" @rlad<"20000703")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:43
S18	322093	(gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:46
S19	1328	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop) ) with ((above over below under higher lower) near3 threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:47
S20	126	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:48
S21	106	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)) and (@ad<"20000703" @rlad<"20000703")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:49
S22	531110	(gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:47
S23	1641	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop) ) with ((above over below under higher lower) near3 threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:48
S24	141	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:48
S25	118	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)) and (@ad<"20000703" @rlad<"20000703")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:49

S26	1	(logical adj identifier) with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 17:22
S27	2	("6539432").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 17:29
S28	0	("(FIFObuffermemory)with(LCI(logicalnear2identifier))").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 17:30
S29	0	("(FIFObuffermemory)with(LCI(logicalnear2identifier))").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 17:30
S30	0	(FIFObuffermemory)with(LCI(logicalnear2identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 17:30
S31	27	(FIFO buffer memory) with (LCI(logicalnear2identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 17:30
S32	201	(FIFO buffer memory) with (LCI (logical near2 identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 17:31
S33	0	((FIFO buffer memory) with (LCI (logical near2 identifier))) same interrupt) and (((FIFO buffer memory) with (LCI (logical near2 identifier))) same counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 17:31
S34	1	((FIFO buffer memory) with (LCI (logical near2 identifier))) same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 17:32
S35	1	((FIFO buffer memory) with (LCI (logical near2 identifier))) with counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 17:32
S36	22	((FIFO buffer memory) with (LCI (logical near2 identifier))) same counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 17:34
S37	464855	threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 07:24

S38	145897	threshold with (over above great\$2 equal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 07:26
S39	41960	(threshold with (over above great\$2 equal)) with (under below less\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 07:26
S40	3	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (line adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:43
S41	1978	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:42
S42	499	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 07:28
S43	51	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 07:32
S44	49	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) with count\$3 and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:19
S45	24178	count\$3 with interrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:18
S46	2287	(count\$3 with interrupt\$3) with (card interface switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:19
S47	373	(count\$3 with interrupt\$3) with (connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:22
S48	72	((count\$3 with interrupt\$3) with (card interface switch)) with (connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:56
S49	4	((count\$3 with interrupt\$3) with (card interface switch)) with (connection)) same threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:41
S50	19	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:44

S51	18	(((((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) same interrupt) and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:44
S52	276	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (interface card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:43
S53	5	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (interface card)) same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:25
S54	3	(((((threshold with (over above great\$2 equal)) with (under below less\$2)) with (interface card)) same interrupt) and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:55
S55	733	threshold same (count\$3 with interrupt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:55
S56	133	(threshold same (count\$3 with interrupt\$3) ) same (card interface switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:25
S57	19	((threshold same (count\$3 with interrupt\$3) ) same (card interface switch)) same (connection statistic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:56
S58	18	((threshold same (count\$3 with interrupt\$3) ) same (card interface switch)) same (connection statistic)) and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 09:56
S59	117	((threshold same (count\$3 with interrupt\$3) ) same (card interface switch)) and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:02
S60	4259	(writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:30
S61	152	((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:31
S62	43	((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt) same (card interface switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:31
S63	38	((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt) same (card interface switch)) and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:31

S64	23278	((writ\$3 plac\$3 stor\$3 record\$3) near3 (address id identif\$7) with (buffer FIFO))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:30
S65	872	((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch))) with (buffer FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:30
S66	0	((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt) same ((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch))) with (buffer FIFO))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:31
S67	783	((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch))) with (buffer FIFO)) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:32
S68	21	((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch))) with (buffer FIFO)) same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 10:31
S69	21	((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch))) with (buffer FIFO)) same interrupt) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:25
S70	2	"5402416".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 11:40
S71	1	"5402416".pn. and fifo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 11:41
S72	2382	count adj (cell priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:24
S73	2243	count adj (cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:24
S74	42	count near5 (priority adj b it)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:24
S75	117	count near5 (loss near (cell packet priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:25
S76	27	(count near5 (loss near (cell packet priority))) and (count adj (cell) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:25

S77	12	(count near5 (loss near (cell packet priority))) same (count adj (cell) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:25
S78	11	((count near5 (loss near (cell packet priority))) same (count adj (cell) )) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:47
S79	5044	cell adj loss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:32
S80	1370	priority adj bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:32
S81	3	(cell adj loss) with (priority adj bit) with count\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:45
S82	2150	clp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:46
S83	38	clp near3 count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:59
S84	27	(clp near3 count\$3) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:45
S85	4	(clp near3 count\$3) with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:56
S86	3	((clp near3 count\$3) with threshold) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:17
S87	9915	(cell adj2 (loss priority)) CLP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:17
S88	429	((cell adj2 (loss priority)) CLP) same threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:19
S89	235	((cell adj2 (loss priority)) CLP) with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:17

S90	39	((((cell adj2 (loss priority)) CLP) with threshold) same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:20
S91	39	(((((cell adj2 (loss priority)) CLP) with threshold) same switch) and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:20
S92	309	((cell adj2 (loss priority)) CLP) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:19
S93	47	((((cell adj2 (loss priority)) CLP) with count\$3) same threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:19
S94	16	(((((cell adj2 (loss priority)) CLP) with count\$3) same threshold) same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:20
S95	16	(((((cell adj2 (loss priority)) CLP) with count\$3) same threshold) same switch) and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:05
S96	22	(collect\$3 near3 (count statistic\$)) same (high near3 traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:01
S97	8	S96 and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:02
S98	16	(((((cell adj2 (loss priority)) CLP) with count\$3) same threshold) same switch) and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:05
S99	27	(clp near3 count\$3) and (@ad<"20000629" @rlad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:19
S10 0	12	((((line adj card) LCI) same counter) same threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:06
S10 1	9	(statistic\$5 near3 switch) with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:18
S10 2	105	count with high with low with (priority traffice)	US-PGPUB; USPAT	OR	ON	2005/05/02 11:19



S10 3	3138850	"17" and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:20
S10 4	80	S102 and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:20
S10 5	363818	threshold	US-PGPUB; USPAT	OR	ON	2005/05/02 12:56
S10 6	61637	S105 with high	US-PGPUB; USPAT	OR	ON	2005/05/02 12:56
S10 7	24045	S106 with low	US-PGPUB; USPAT	OR	ON	2005/05/02 12:56
S10 8	15	S107 same (collect\$3 with (count statistic))	US-PGPUB; USPAT	OR	ON	2005/05/02 12:57
S10 9	4595	(count\$3 accumulat\$3 collect\$3) with ((equal greater) near3 threshold)	US-PGPUB; USPAT	OR	ON	2005/05/02 13:46
S11 0	337	S109 same (switch card interface)	US-PGPUB; USPAT	OR	ON	2005/05/02 13:47
S11 1	19	S110 same (class traffic priority)	US-PGPUB; USPAT	OR	ON	2005/05/02 13:47
S11 2	13720	((709/221-225,240) or (370/229-240)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/02 14:44
S11 3	7650	S112 and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:45
S11 4	5160	S113 and (priority traffic congestion)	US-PGPUB; USPAT	OR	ON	2005/05/02 14:45
S11 5	1756	S114 and threshold	US-PGPUB; USPAT	OR	ON	2005/05/02 14:45
S11 6	129	S115 and CLP	US-PGPUB; USPAT	OR	ON	2005/05/02 14:46
S11 7	126	S116 and (switch card interface)	US-PGPUB; USPAT	OR	ON	2005/05/02 14:46
S11 8	19	S113 and (count with (high near3 priority))	US-PGPUB; USPAT	OR	ON	2005/05/02 14:48
S11 9	596	S113 and (CLP (cell adj loss))	US-PGPUB; USPAT	OR	ON	2005/05/02 14:48
S12 0	19	S118 and (count with (high near3 priority))	US-PGPUB; USPAT	OR	ON	2005/05/02 14:48
S12 1	6	S118 and (CLP (cell adj loss))	US-PGPUB; USPAT	OR	ON	2005/05/02 14:49